Ref #	Hits	Search Query DBs	s Default Operator	Plurals	Time Stamp
2	0	"Midden shipping address"	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	S .	2006/06/23 13:04
2	0	"Secret shipping address"	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	N O	2006/06/23 13:04
ៗ	N	"proxy shipping address".	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	8	2006/06/23 13:04
7	0	"proxy identity" and "alias identity"	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	Z O	2006/06/23 13:04
5	78	Anonymous\$4 near2 shipp\$4	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	8	2006/06/23 13:04
97	2919	(proxy alias Pseudonym) same identity	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	N O	2006/06/23 13:04
	2651	shipp\$ near3 address	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	N _O	2006/06/23 13:04
87 61 61	0 %	"20040083184".URPN. (ShipoS near3 address) same (anonymous ior-hidoS4)	USPAT OR	8 8	2006/06/23 13:04
5	∞	(shipp\$ near3 address) same (anonymous or hidd\$4) same encrypt\$4	US-PGPUB; OR USPAT; DERWENT; BM_TDB	Z O	2006/06/23 13:04
Ē.	45	(shipp\$ near3 address) same (anonymous or hidd\$4) and encrypt\$4	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	Š	2006/06/23 13:04
L12	80	(forward\$4 or transmitt\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	US-PGPUB; OR USPAT; DERWENT; IBM_TDB	NO NO	2006/06/23 13:04

EAST Search History

-13		L				
2	12	(forward\$4 or transmit\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	N O	2006/06/23 13:04
L1	12	(forward\$4 or transmit\$4 or send\$4 or convey\$3) adj (ship\$5 adj address)	US-PGPUB; USPAT; DERWENT; IBM_TDB	o R	Z O	2006/06/23 13:04
L15	108		US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	Z O	2006/06/23 13:04
L16	O	((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)) same encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	N O	2006/06/23 13:04
L17	35	"5825881".URPN.	USPAT	R	NO	2006/06/23 13:04
L18	21	"5825881".URPN: and encrypt\$4	USPAT	R	N O	2006/06/23 13:04
L19	70	o\$5 adj addres s)) same encr	USPAT	R	z Ö	2006/06/23 13:04
120	80	*6332134*.URPN	USPAT	S.	N O	2006/06/23 13:04
7	83	("5465206" "5602918" "5621797" "5671279" "5671280" "5704046" "5715399" "5727163" "5732400" "5745886" "5757917" "5758327" "5787403" "5790677" "5822737" "5826241" "5839119" "5878139" "5883810" "5890137" "5940811" "594044" "5952638" "5956699" "5960411" "5987140" "5991750" "5996076" "5999596" "6000832" "6002767" "6049785" "6169974").PN.	USPAT	&	Z O	2006/06/23 13:04
2	*	(("5465206" "5602918" "5621797" "5671279" "5671280" "5704046" "5715399" "5727163" "5732400" "5745886" "5757917" "5758327" "5787403" "5890677" "5822737" "5826241" "5839119" "5878139" "5883810" "5890137" "5940811" "5949044" "5952638" "5956699" "5960411" "5987140" "5991750" "5996076" "5999596" "6000832" "6002767" "6049785" "6169974").PN.) and ((blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near3 address)	USPAT	NO.	N O	2006/06/23 13:04
123	4920	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near3 (ship\$5 address)	USPAT	S R	NO O	2006/06/23 13:04
124	3632	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near2 (ship\$5 address)	USPAT	OR	N O	2006/06/23 13:04
125	721	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) adj (ship\$5 address)	USPAT	OR N	N O	2006/06/23 13:04
97	725	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)	USPAT	OR	ŏ	2006/06/23 13:04
127	448	electronic adj shop\$4	USPAT	OR .	N O	2006/06/23 13:04
128	687349	ecommerce or e-commerce or (electronic commerce) or (online adj shopping)	USPAT	OR	N O	2006/06/23 13:04
65	257	((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (ecommerce or e-commerce or (electronic commerce) or (online adj shopping))	USPAT	OR R	N O	2006/06/23 13:04
F30	86	(((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (ecommerce or e-commerce or (electronic commerce) or (online adj shopping))) and encrypt\$4	USPAT	OR	N O	2006/06/23 13:04
L31	5013	(b)	USPAT	OR	N O	2006/06/23 13:04
L32	12	((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (ecommerce or e-commerce or (electronic adj commerce) or (online adj shopping))	USPAT	OR	NO	2006/06/23 13:04

L34		3 (6043/63 6126063 6203436).PN.				2000/00/23 13.04
	0	*************************************	USPAT	S.	NO O	2006/06/23 13:04
	o	(ship\$5 adj (address or location)) near2 encrypt\$4	ë.	꽁	N O	2006/06/23 13:04
			DERWENT;			
	Ŋ	"5790665"). NA. ("5790665")	UB;	A.	OFF	2006/06/23 13:04
			USPAT; USOCR; DERWENT; IRM TOR			
	75	283/17.ccls.	ë	a No	NO O	2006/06/23 13:04
		DEF	DERWENT; IBM_TDB			
T _X	404	705/50.cds	.;	S.	N O	2006/06/23 13:04
- -		・ 1000年代の「1000年代の	DERWENT:	ad.		Ē
	999	705/64.cds.	US-PGPUB; 0	——	NO O	2006/06/23 13:04
			DERWENT; IBM_TDB			
#:- :,	96.	を使うできます。 「大きな」では、「ないできない」というない。 「ないできない」では、「ないできない」というできます。 「ないできない」というできます。 「ないできない」というできます。 「ないない はんしょう できない はんしょう しゅうしょ しゅうしゅう しゅう	8	S.	NO.	2006/06/23 13:04
	gradina Gradina Gradina		DERWENT; IBM_TDB	- '		
	1280	283/17.cds. or 705/50.cds. or 705/64.cds. or 705/74.cds.	US-PGPUB; 0	R	NO	2006/06/23 13:04
		MBI MBI	DERWENT;			
	3935	·(ship\$5.adj (address or location))	<u></u>	e E	NO O	2006/06/23 13:04
	× ,		DERWENT; IBM_TDB		4 °	
	0	(ship\$5 adj (address or location)) near blind\$4	—————————————————————————————————————		Z O	2006/06/23 13:04
	8	(ship\$5.adj (address or location)) near3 blind\$4		OR	NO	2006/06/23 13:04
	•	DEJ COSTALE LURIN.	Ę _®	80	N O	2006/06/23 13:04

L46	 9	(("6748366") or ("5420926") or ("6006200")).PN.	ä	OR	OFF	2006/06/23 13:04
			USPAT; USOCR; DERWENT; IBM TDB			
L47	8	09/129826	US-PGPUB; USPAT; DERWENT;	S.	S O	2006/06/23 13:04
L48	 0	encrypT4\$ adj "shipping address"	US-PGPUB; USPAT; EPO;	OR	Š	2006/06/23 13:04
L49	 1822	"shipping address"	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;	a N	NO NO	2006/06/23 13:04
120	 639	"shipping address" and e	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;	OR	N O	2006/06/23 13:05
121	148	("shipping address" and encrypt\$5) and Anonymous	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;	A A	N O	2006/06/23 13:05
L52 L53	0 106	14	DERWENT; IBM_TDB USPAT US-PGPUB;	S S	S S	2006/06/23 13:05 2006/06/23 13:05
157	 4	(("5754938") or ("5754939")).PN.	USPAT; EPO; DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR;	S.	OFF	2006/06/23 13:05
155	 17	"Anonymous shipping"	Ë	S S	NO O	2006/06/23 13:05
156	35	"proxy identity"		NO.	NO NO	2006/06/23 13:05

1.57	98	"silas identity"	IIS.PGPLIB.	ä	Z	2006/06/23 13:05
<u> </u>				<u> </u>	5	
F 28	09	((proxy alias Pseudonym) same identity) and (shipp\$ near3 address)	 	OR	N O	2006/06/23 13:05
L59	164	"Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$ near3 address))	<u></u>	S.	Z O	2006/06/23 13:05
097	30	("Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$ near3 address))) and ("smart card" or "ic card" or "integrated circuit car")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2006/06/23 13:05
L61	38	("Anonymous shipping" or "proxy identity" or "ali: near3 address))) and ("smart card" or "ic card" o	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	No.	2006/06/23 13:05
L62	en ,	((proxy alias Pseudonym) same identity) near4 ("smart card" or "ic card" or "integrated circuit car" or wallet)	US-PGPUB; USPAT; DERWENT; IBM_TDB	R	N O	2006/06/23 13:05
F63	0	"20030100292".URPN.	USPAT	OR .	NO	2006/06/23 13:05
L64	18	((proxy alias Pseudonym) same identity) WITH ("smart card" or "ic card" or "integrated circuit car" or wallet)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2006/06/23 13:05
L65	80	"6085081".URPN.	USPAT	S R	N O	2006/06/23 13:05
997	69	privacy adj card	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2006/06/23 13:05
797	•	("Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$ near3 address))) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N _O	2006/06/23 13:05
F68	2919	((proxy alias Pseudonym) same identity)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2006/06/23 13:05
697	2651	shipp\$ near3 address	USPAT; USPAT; DERWENT; IBM_TDB	OR	N O	2006/06/23 13:05

6/23/06 1:34:46 PM C:\Documents and Settings\kabdi\Desktop\New search.wsp

		_				
2	0	((((proxy alias Pseudonym) same identity)) and (privacy adj card)) and ((shipp\$ near3 address) and (privacy adj card))	US-PGPUB; USPAT; DERWENT; IBM TDB	S.	<u>Z</u>	2006/06/23 13:05
121	28	(shipp\$ near3 address) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM TDB	S S	N O	2006/06/23 13:05
L72	10	(((proxy alias Pseudonym) same identity)) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM TOR	S R	8 O	2006/06/23 13:05
L73	0	"single use credit card"	US-PGPUB; USPAT; EPO; DERWENT;	8 2	N O	2006/06/23 13:05
L74	0	((single adj use) near3 card) and walker.in.	US-PGPUB; US-PGPUB; USPAT; EPO; DERWENT;	S S	Z O	2006/06/23 13:05
L75	21958	walker.in.	US-PGPUB; US-PAT; EPO; DERWENT; IBM TDB	SO.	N O	2006/06/23 13:05
L76	0	walker.in. and (single adj use)	US-PGPUB; USPAT; EPO; DERWENT;	S S	NO	2006/06/23 13:05
۲۷۱	88	"5768382"	IBM_TDB US-PGPUB; USPAT; EPO;	OR S	N O	2006/06/23 13:05
L78	0	("5768382").PN.	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO;	S.	OFF	2006/06/23 13:05
L79	01	(("4707592") or ("6006200") or ("6000832") or ("6163771") or ("5657388")).PN.	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO:	OR	OFF	2006/06/23 13:05
×			DERWENT:			

EAST Search History

 		2 ("6029150").PN.		OR	OFF	2006/06/23 13:05	35
			DERWENT; IBM_TDB				
<u>6</u>	78	((shipp\$4 or Deliver\$4) near3 address) a		S.	N O	2006/06/23 13:05	35
			DERWENT: IBM_TDB	*************************************			
L82	<u>ი</u>	"third party privacy system"	US-PGPUB; 0	OR	NO	2006/06/23 13:05	5
			DERWENT; IBM_TDB				
L83	435	encrypt\$ with function with session	SPUB:	a o	N O	2006/06/23 13:05	35
			EPO; DERWENT; IBM_TDB				
28		(encrypt\$ with function with session) and (shop\$5 with session with (id or identifier or identification or number or code))	US-PGPUB; O	OR	NO O	2006/06/23 13:05	5
			EPO; DERWENT; IBM_TDB				
L85	110	shop\$5 with session with (id or identifier or identification or number or code)	<u></u>	SO.	NO	2006/06/23 13:05	5
			EPO; DERWENT; IBM_TDB		-		
F 186	_	encrypt\$5 with (shop\$5 with session with (id or identifier			N O	2006/06/23 13:05	5
			EPO; DERWENT; IBM_TDB				
L87		26436 session with (id or identifier or identification or number of code)	GPUB;	OR OR	N O	2006/06/23 13:05	35
			EPO; DERWENT; IBM_TDB	-			
F88	0	((encrypt\$ with function with session) with (session with (id or identifier or identification or number or code))) with shop45	PUB;	NO.	N O	2006/06/23 13:05	5
			EPO; DERWENT; IBM_TDB				
F83	112	(encrypt\$ with function with session) with (session with (it	US-PGPUB; OR	œ	N O	2006/06/23 13:05	5
	171	ので、一角のでは、大きなでは、100mmのでは、100m	EPO; DERWENT; IBM_TDB			-	
					*		

8	•	\vdash	1:20:			
2	>	ZOCIOCHATOS CONTIN.	USPAI	ž	5	2006/06/23 13:05
5	2093	mult\$5 with level with security	US-PGPUB;	OR	Ö	2006/06/23 13:05
y.			USPAT; EPO;	-		
			DERWENT; IBM_TDB			
L92	135	((shipp\$ or Deliver\$4) near3 add	US-PGPUB;	OR	N O	2006/06/23 13:05
			DERWENT; IBM_TDB			
F63	-	(mult\$5 with level with security) and (((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4))	US-PGPUB;	8	8 O	2006/06/23 13:05
			EPO;			
		第17、1911年1日 - 第18年1日 - 1811年	DERWENT; IBM_TDB	*		
18	0	"20020029248".URPN.	USPAT	OR	N O	2006/06/23 13:05
195	1036	(mult\$5 adj (level or status or category or rank)) near3 (security or protection)	US-PGPUB;	S R	N O	2006/06/23 13:05
			USPAI; EPO; DERWENT;		-	
90	05.4		IBM_IDB	Č	ð	2006/06/22 42:06
 6	c S	(muitos ad) (level of status of category of rank)) nearz (secunity of protection)	USPAT:	<u></u>	<u>z</u>	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
L97	153		US-PGPUB;	OR	Z O	2006/06/23 13:05
			USPAL; EPO; DERWENT; IBM_TDB		<u>*</u> **	**************************************
867	13	((mult\$5 adj (level or status or ca	US-PGPUB; USPAT;	OR	N O	2006/06/23 13:05
			DERWENT;			
667	186	(mult\$5 adj (level or status or category or rank)) near3 encrypt\$4	US-PGPUB; USPAT;	8 B	8	2006/06/23 13:05
	v		EPO; DERWENT; IBM_TDB			
1100	တ	*6598161*.URPN.	USPAT	N R	N O	2006/06/23 13:05
1101	7		USPAT	S R	N O	2006/06/23 13:05
L102	0	((mult\$5 adj (level or status or	US-PGPUB;	NO.	N O	2006/06/23 13:05
			EPO; DERWENT;			
			IBM_TDB			

Page 8

EAST Search History

			A. I.			1	1	
		/ 2903027).PN	·N.		USPAT; USPAT; USOCR;	8 	<u> </u>	2006/06/23 13:05
					DERWENT;			
L104	•	1 (("5903652").PI	(("5903652").PN.) and (address or added or "P.O.Box" or "Post Office Box")		US-PGPUB; USPAT;	SO.	8	2006/06/23 13:05
					DERWENT; IBM_TDB			
L105	0	0 "hidden shipping address"	i		US-PGPUB; USPAT; DERWENT:	OR	S	2006/06/23 13:05
	r				IBM_TDB			
L106	0	0 Secret shipping address"	ing address."		US-PGPUB;	OR	N O	2006/06/23 13:05
		7			DERWENT; IBM_TDB	+	٥.	
L107	0	0 "proxy identity"	"proxy identity" and "alias identity"	:	US-PGPUB; USPAT;	S S	N O	2006/06/23 13:05
					DERWENT; IBM_TDB			
L108	28		Anonymous\$4 near2 shipp\$4	-3*1 19 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	US-PGPUB; USPAT; DERWENT:	SO.	8 O	2006/06/23 13:05
					IBM_TDB			
L109	2919	(proxy alias Ps	(proxy alias Pseudonym) same identity		US-PGPUB; USPAT;	NO.	NO	2006/06/23 13:05
					DERWENT; IBM_TDB			
L110	2651	shipp\$ near3 address	address of the control of the contro		US-PGPUB;	S S	NO	2006/06/23 13:05
*	\$ - - - 			.и. 	DERWENT;			
1111	. 0	20040083184".URPN		e e	USPAT	OR	NO	2006/06/23 13:05
L112	12	-	(forward\$4 or transmit\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	4. 4.	US-PGPUB;	OR	N O	2006/06/23 13:05
	*				DERWENT; IBM_TDB			
L113	108		(forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)		US-PGPUB;	OR	N O	2006/06/23 13:05
					DERWENT; IBM_TDB			
L114	4920	(blind\$4 or mas	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near3 (ship\$5 address)	20	USPAT	S N	NO O	2006/06/23 13:05
L115	3632		(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near2 (ship\$5 address)		USPAT	OR	N O	2006/06/23 13:05
L116	721	-	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) adj (ship\$5 address)		USPAT	OR	NO	2006/06/23 13:05

2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05
NO			N O	NO NO	NO NO	NO NO	NO O	NO NO	No	NO	NO NO	NO NO	NO O	No
OR	OR.	OR N	OR	OR .	a B	OR	, R	No	OR	OR	e.	OR	OR O	OR
USPAT	USPAT	USPAT	USPAT	USPAT	USPAT	US-PGPUB; USPAT; DERWENT; BM TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; BM TDB	US-PGPUB; USPAT; DERWENT; IBM TDB	US-PGPUB; USPAT; DERWENT; IBM TDB	USPAT US-PGPUB; USPAT; DERWENT; IBM TOR	US-PGPUB; USPAT; EPO;
Sn	Sn	SN .	merce US	ns	SN R	SS = 8	SSUSS	SSE	SS D B	SSHE	. S.S. = 8	US OB	<u> </u>	US-PA
		:	e-com					3		ē		Trings and	Ege	
			nmerce or					- * * * * * * * * * * * * * * * * * * *		₹ • • •				
			and (econ										各合語 を記され 一定記 を記され 更加 更加 更加	
ddress)		oing)	ymous\$4);adj.(ship\$5 address)) and (eco	(guiddor								한 17 분들 : *** *** *** *** *** *** *** *** ***		
mous\$4) adj (ship\$5 address		ce) or (online adj shopping)	i (ship\$5 a	merce) or (online adj shopping)				:				And the second s		
us\$4) adj		or (online	ous\$4) ad	ce) or (on						Sols.				
		mmerce)		j commer						r 705/74.c		4		
rypt\$4 or		tronic c	adj shopi	ctronic ad				· ·		64.ccls. or		ear blind\$		
\$5 or enc		ce or (elec	1\$5 or end or (online	ce or (ele				; ;		s. or 705/	cation))	cation)) ne		ddress"
\$4 or hid	op\$4	-commer	k\$4 or hic mmerce)	-commer	RPN.					05/50.ccl	ress or loc	ress or loc	EN.	hipping a
(blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anon)	electronic adj shop\$4	ecommerce or e-commerce or (electronic commer	((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anon or (electronic commerce) or (online adj shopping))	ecommerce or e-commerce or (electronic adj com	"200153971".URPN	7.ccls.	705/50.ccls.	.ccls.	SOS	283/17.cds. or 705/50.cds. or 705/64.cds. or 705/74.cds	(ship\$5 adj (address or location))	(ship\$5 adj (address or location)) near blind\$4	"20020007318".URPN 09/129826	encrypT4\$.adj "shipping address"
-		_					705/50	705/64.ccls.	705/74	283/17	Ships	(ship\$£		
725	449.	687349	257	5013	0	154	404	999	120 705/74.ccls.	1280	3935	0	0 0	0
L117	L118	L119	L120	L121	L122	L123	L124	L125	27.	L127	L128	L129	L130 L131	L132

1 433	1000	Publication and discount		200	3	7000	20,00,00
	7701	sching audices	USPAT;	<u>K</u>	5	70007	2008/08/23 13:02
			EPO; DERWENT; IBM_TDB				
•	623	"shipping address" and encrypt\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	g	Z Ö	2006/	2006/06/23 13:05
	0		USPAT	OR	8	2006/(2006/06/23 13:05
	35	"proxy identity"	US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	N O	2006/	2006/06/23 13:05
	65	"alias identity"	US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	<u>z</u>	2006/0	2006/06/23 13:05
	49	"Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$ near3 address))	US-PGPUB; USPAT; DERWENT; IBM_TDB	S N	NO NO	2006/0	2006/06/23 13:05
	0	"20030100292".URPN.	USPAT	OR	Z O	2006/(2006/06/23 13:05
	0	("Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$ near3 address))) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR.	Z O	2006/(2006/06/23 13:05
	2919	((proxy alias Pseudonym) same identity)	US-PGPUB; USPAT; DERWENT; IBM_TDB	S S	NO NO	2006/(2006/06/23 13:05
16	2651	shipp\$ near3 address	US-PGPUB; USPAT; DERWENT; IBM_TDB	S S	No.	2006/(2006/06/23 13:05
	0	privacy adj card)) and ((shipp\$ near3 address) and (privacy adj	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2006/0	2006/06/23 13:05
	0	"single use credit card"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2006/	2006/06/23 13:05

L145	0	((single adj use) near3 card) and walker.in.	US-PGPUB;	R R	N O	2006/06/23 13:05
			DERWENT;			
L146	21958	walker.in.	US-PGPUB;	S S	N O	2006/06/23 13:05
			USPAL; EPO; DERWENT; IBM_TDB			
L147	0	walker.in. and (single adj use)	US-PGPUB; USPAT;	OR	N O	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
L148	88	"5768382"	US-PGPUB; USPAT;	SO.	NO.	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			-
L149	435	encrypt\$ with function with session	US-PGPUB;	S S	NO	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
1150		encrypt\$5 with (shop\$5 with session with (id or identifier or identification or number or code))	US-PGPUB;	OR	NO O	2006/06/23 13:05
		のでは、「大きなない」」という。「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、」」というでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、「大きなでは、」」、「大きなでは、「大きない」」」、「大きなでは、「大きなでは、「大きなでは、「大きない」」」、「大きなでは、「大きない」」」、「大きなでは、「大きない」」」、「大きなでは、「大きない」」」、「大きなでは、「大きない」」」、「大きない」」」、「大きない」」」、「大きなでは、「大きない」」」、「大きない」」」、「大きない」」、「大きない」」」、「大きない」」」、「大きない」」」、「大きない」」、「大きない」」、「いきない」」」、「いきない」」」、「いきない」」、「いきない」」、「いきない」」」、「いきない」」」、「いきない」」」、「いきない」」、「いきない」」」、「いきない」」」、「いきない」」、「いきない」」、「いきない」」」、「いきない」」」、「いきない」」」、「いきない」」」、「いきない」」」、「いきない」」、「いきない」」、「いきない」」」、「いきない」」、「いきない」」、「いきない」」、「いきない」」、「いきない」」」、「いきない」」」、「いきない」」、「いきない」」、「いきない」」、「いきない」」」、「いきない」」」、「いきない」」」、「いきない」」、「いきない」」」、「いきない」」」、「いきない」」、「いきない」」、「いきない」」」、「いきない」」」、「いきない」」」、「いきない」」」、「いきない、「いきない」」」、「いきない、「いきない」」」、「いきない、「いきない」」」、「いきない」」」、「いきない、「いきない、「いきない」」」、「いきない、「いきない」」」、「いきない、「いきない、「いきない」」」、「いきない、「いきない」」」、「いきない、「いきない、「いきない、「いきない」」」、「いきないいいいいいいいいい	USPAL; EPO; DERWENT; IBM TDB	•		
L151	26436	session with (id or identifier or identification or number or code)	US-PGPUB;	S.	N O	2006/06/23 13:05
			GSPAT, EPO; DERWENT; IBM_TDB			-
L152	0	((encrypt\$ with function with session) with (session with (id or identifier or identification or number or code))) with shop45	US-PGPUB; USPAT:	S.	N O	2006/06/23 13:05
	÷	,如果我们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	EPO; DERWENT; IBM_TDB			
L153	0	"20010044785".URPN.	USPAT	OR	NO	2006/06/23 13:05
L154	2093	mult\$5 with level with security	US-PGPUB;	OR	8 O	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB	1.		
]

L155	135	((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4)	US-PGPUB;	S S	8 O	2006/06/23 13:05
			DERWENT;			
4	c		18M_108	(į	
200	5	ZUUZUUZBZ48".UKPN.	USPAT	S R	8	2006/06/23 13:05
L157	1036	(mult\$5 adj (level or status or category or rank)) near3 (security or protection)	US-PGPUB; USPAT;	S R	N O	2006/06/23 13:05
-			EPO; DERWENT; IBM_TDB			
L158	951	(mult\$5 adj (level or status or category or rank)) near2 (security or protection)	US-PGPUB;	OR N	N O	2006/06/23 13:05
		,一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	USPAT; EPO; DERWENT;			
			IBM_TDB			
L159	6	"6598161".URPN.	USPAT	N N	N O	2006/06/23 13:05
1160	0	((mult\$5 adj (level or status or category or rank)) near3 encrypt\$4) near4 (personal adj (information or data))	US-PGPUB;	OR S	N O	2006/06/23 13:05
			EPO;			
-,			DERWENT; IBM_TDB			
L161	-	_:	USPAT	OR	8 O	2006/06/23 13:05
		"5883810" "5890137" "5940011" "595038" "5956699" "5960411" "5987140" "5991750" "5996076" "5995969" "599596	Ü			
L162	0	(2005/0027617).CCLS.	US-PGPUB;	OR	OFF	2006/06/23 13:05
:			USPAT; EPO;	- 51		
		の思想を行うという。 さいかい 一般では、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、 ないでは、「ないでは いっぱい 「ないでは、」」」」」 「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、」」」」 「ないでは、「ないでは、「ないでは、「ないでは、」」」」 「 このでは、「ないでは、「ないでは、「ないでは、」」」」 「ないでは、「ないでは、「ないでは、「ないでは、「ないでは、」」」」 「ないでは、「ないでは、「ないでは、「ないでは、」」」」 「ないでは、「ないでは、「ないでは、」」」」 「ないでは、「ないでは、「ないでは、」」」」 「ないでは、「ないでは、「ないでは、」」」」 「ないでは、「ないでは、「ないでは、」」」」 「ないでは、「ないでは、」」」」 「ないでは、「ないでは、」」」」 「ないでは、「ないでは、」」」」 「ないでは、「ないでは、」」」」 「ないでは、「ないでは、」」」」 「ないでは、「ないでは、」」」」 「ないでは、「ないでは、」」」」 「ないでは、」」」」 「ないでは、」」」 「ないでは、「ないでは、」」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」」 「ないでは、」」 「ないでは、」」」 「ないでは、」」 「ないでは、」」 「ないでは、」」」 「ないでは、」」 「ないでは、、」」 「ないでは、」」 「ないでは、」 「ないでは、」」 「ないでは、」」 「ないでは、」 「ないでは、」」 「ないでは、」 「ないでは、」」 「ないでは、」」 「ないでは、」」 「ないでは、」」 「ないではいいでは、」」 「ないではいいでは、」」 「ないではいいでは、」」 「ないではいいではい	DERWENT; IBM_TDB			
L163	_	with session with (id or identifier or identification or no	US-PGPUB; USPAT;	S R	8	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
28		(mult\$5 with level with security) and (((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4))	US-PGPUB; USPAT;	OR	S.	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
L165	-	(("5903652").PN.) and (address or added or "P.O.Box" or "Post Office Box")	US-PGPUB; USPAT;	OR	N O	2006/06/23 13:05
			EFU; DERWENT; IBM_TDB			

L166	2	"proxy shipping address"	US-PGPUB; USPAT:	SO.	N _O	2006/06/23 13:05
			DERWENT; IBM_TDB			
L167	<u>8</u>	(shipp\$ near3 address) same (anonymous or hidd\$4)	US-PGPUB; USPAT; DERWENT; IBM TDB	OR	S	2006/06/23 13:05
L168	ω	(shipp\$ near3 address) same (anonymous	US-PGPUB; USPAT; DERWENT;	OR	N O	2006/06/23 13:05
L169	45	(shipp\$ near3 address) same (anonymous or hidd\$4) and encrypt\$4	IBM_TDB US-PGPUB; USPAT; DERWENT:	OR	N N	2006/06/23 13:05
۲۱۷۵	ω	(forward\$4 or transmitt\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	IBM_TDB US-PGPUB; USPAT; DERWENT;	S R	N N	2006/06/23 13:05
1171	12	(forward\$4 or transmit\$4 or send\$4 or convey\$3) adj (ship\$5 adj address)	IBM_TIDB USPAT; DERWENT; IBM_TDB	8	Š	2006/06/23 13:05
L172	თ	((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	- S	2006/06/23 13:05
L173	35		USPAT	S S	8 O	2006/06/23 13:05
L174	21	"5825881".URPN. and encrypt\$4	USPAT	S R	N O	2006/06/23 13:05
L175	20	((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)) or (((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)) same encrypt\$4) or "5825881".URPN. or ("5825881".URPN. and encrypt\$4)	USPAT	S S	N O	2006/06/23 13:05
1176	80	"6332134".URPN.	USPAT	S R	NO O	2006/06/23 13:05
L177	33	("5465206" "5602918" "5621797" "5671279" "5571280" "5704046" "5715399" "5727163" "5732400" "574586" "5757917" "5639119" "5878139" "578886" "5757917" "5839119" "5878139" "5883810" "5890137" "5890137" "58408112" "58408112" "5890137" "5990137" "59901750" "59901750" "599076" "59956699" "5995669" "5995668" "6000832" "60002767" "6049785" "6169974").PN	USPAT	OR P	S	2006/06/23 13:05
L178	86	(((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (ecommerce or e-commerce or (electronic commerce) or (online adj shopping))) and encrypt\$4	USPAT	OR	N O	2006/06/23 13:05
L179	12	((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (ecommerce or e-commerce or (electronic adj commerce) or (online adj shopping))	USPAT	OR	N O	2006/06/23 13:05
L180	3	("6049785" "6126069" "6205436").PN.	USPAT	S.	8	2006/06/23 13:05

L181	တ	(ship\$5 adj (address or location)) near2 encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	NO.	N O	2006/06/23 13:05
L182	2	("5790665").PN.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	055	2006/06/23 13:05
L183		tion)) near3 bl	US-PGPUB; USPAT; DERWENT; IBM TDB	S S	Š	2006/06/23 13:05
2	G	(("6748366") or ("5420926") or ("6006200")).PN Purple of the property of the p	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	RO	OFF.	2006/06/23 13:05
L185	106	encrypt\$5 same (ship\$5 adj address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	Z O	2006/06/23 13:05
L186		(("5754938") o' ("5754939")). PN	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2006/06/23 13:05
L187	17	"Anonymous shipping"	US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	N O	2006/06/23 13:05
L188	09	((proxy alias Pseudonym) same identity) and (shipp\$ near3 address)	US-PGPUB; USPAT; DERWENT; IBM_TDB	K	8	2006/06/23 13:05
L189	90	("Anonymous shipping" or "proxy identity" or "alias near3 address))) and ("smart card" or "ic card" or "	US-PGPUB; USPAT; DERWENT; IBM_TDB	NO R	N O	2006/06/23 13:05
L190	8	("Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy-alias Pseudonym) same identity) and (shipp\$ near3 address)) and ("smart card" or "incgrated circuit car" or wallet)	US-PGPUB; USPAT; DERWENT; IBM_TDB	8	N N	2006/06/23 13:05
L191	က	((proxy alias Pseudonym) same identity) near4 ("smart card" or "ic card" or "integrated circuit car" or wallet)	US-PGPUB; USPAT; DERWENT; IBM_TDB	NO.	N O	2006/06/23 13:05

		٠.				
L192	18	((proxy alias Pseudonym) same identity) WITH ("smart card" or "ic card" or "integrated circuit car" or wallet)	US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	<u> </u>	2006/06/23 13:05
L193	ω	*6085081*URPN.	USPAT	S.	NO	2006/06/23 13:05
L194	69	privacy adj card	US-PGPUB; USPAT; DERWENT; IBM_TDB	NO .	N O	2006/06/23 13:05
L195	28	(shipp\$ near3 address) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	NO NO	2006/06/23 13:05
L196	10	(((proxy alias Pseudonym) same identity)) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	NO	2006/06/23 13:05
L197	7	("5768	US-PGPUB; USPAT:	OR	OFF	2006/06/23 13:05
* * *	,		USOCR; EPO; DERWENT; IBM_TDB		*	
1198	10	(("4707592") or ("6006200") or ("6000832") or ("6163771") or ("5657	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	SO	OFF	2006/06/23 13:05
L199	0	(*6029150").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	NO.	OFF	2006/06/23 13:05
1700	28	((shipp\$4 or Deliver\$4) near3 address) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	No.	2006/06/23 13:05
1201	o ·	"third party privacy system"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	NO ,	2006/06/23 13:05
L202	110	shop\$5 with session with (id or identifier or identifi	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO O	2006/06/23 13:05

	112	112 (encrypt\$ with function with session) with (session with (id or identifier or identification or number or code))	US-PGPUB; USPAT;	S.	Š	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			_
1204	13	((mult\$5 adj (level or status or categor	US-PGPUB; USPAT;	R	8 O	2006/06/23 13:05
	1		EPO; DERWENT; IBM_TDB			
1205	7	"6128735".URPN.	USPAT	S R	ő	2006/06/23 13:05
1206	2	("5903652").PN.	US-PGPUB;	S R	OFF	2006/06/23 13:05
			USOCR; EPO; DERWENT;	-		
1207	148	("shipping address" and encrypt\$5) and Anonymous	US-PGPUB;	R	8 O	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
1708	153	(mult\$5 adj (level or status or category or ran	US-PGPUB;	R	S O	2006/06/23 13:05
			EPO.			
			DERWENT; IBM_TDB			0
L 209	186	(mult\$5 adj (level or status or category or rank)) near3 encrypt\$4	US-PGPUB; USPAT;	R	8	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
1210	0	"10924493".rlpn.	US-PGPUB; USPAT;	OR.	Š O	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
1211	-	10/924493	US-PGPUB; USPAT;	S R	N O	2006/06/23 13:05
			EPO; DERWENT; IBM_TDB			
1212	0		USPAT	OR R	ŏ	2006/06/23 13:05
1213	135	((shipp\$ or Deliver\$4) near3 address) same (a	USPAT; USPAT; DERWENT;	S S	Z O	2006/06/23 13:05
			IBIM I UB			

2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2006/06/23 13:05	2004/08/16 18:29	2004/08/16 18:29	2004/08/16 18:30	2004/08/16 18:30
	8 	700	, S	, S	- <u>%</u>	7	700	S	500	700	200
NO NO	N E	OFF	S	No.	8.	N O	8 O	N O	NO	. N	N O
OR	R	S. S	R	OR	OR.	OR	OR	OR	S	OR	OR
US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	USPAT	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB
	6 (digital or electronic or virtual) with ((transmi\$6 or Deliver\$4) near3 address) same (anonymous or hidd\$4)	4 (("6970941") or ("6798782")).PN.	0 ((digital or electronic or virtual) near3 (goods or services or software or content)) with (transmi\$6 or Deliver\$4 or reciev\$4) near3 address) same (anonymous or hidd\$4).	97898 ((digital or electronic or virtual) near3 (goods or services or software or content))	(transmi\$6 or Deliver\$4 or reciev\$4) near3 address) same (anonymous or hidd\$4)	51 L218 and L219	(2002/0116337).URPN	"hidden shipping address."	Secret.shipping address:		O "proxy identity" and "alias identity".
1214	1215	1216	212	9.	219	1220	1221	۶۶ 	25	 	24

SS	17	Anonymous\$4 near2 shipp\$4	US-PGPUB;	S R	NO O	2004/08/16 18:31
			DERWENT;			
į			18M_108			
98	<u>7</u>	(proxy alias P	US-PGPUB;	S R	8 O	2004/08/16 18:32
	-	こうがいものできない。 一般 歌 はいこう こうかい はってい かない はっぱん 地の 大き でんしょう ない はんしょ しゅうしゅう アンド・スト しょう アンド・スト・スト・スト・スト・スト・スト・スト・スト・スト・スト・スト・スト・スト・	DEBWENT.			
		こうこう かいかい のは 野田 かんてい アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・ア	IBM TDB	Ť	*	* .
S7	1722	shipp\$ near3	I IS POPI IB:	C	Š	2004/08/16 18:41
;	<u> </u>		USPAT:	<u> </u>	5	1.00
			DERWENT;	-		
	,		IBM_TDB			
 8S	0	"20040083184"URPN	USPAT	R	NO O	2004/08/16 18:37
83	63		US-PGPUB;	R	N O	2004/09/14 12:42
			USPAT;	;	<u> </u>	
			DERWENT;			
.040	0					
2	0	Snipps near 3 sourcess) Same (anonymous or nigoset) Same encryptest	US-PGPUB;	Š	5	2004/08/17 08:16
		,是是一个人的人,也是一个人的人,也不是一个人的人,也是一个人的人,也是一个人的人的人,也是一个人的人的人,也是一个人的人,也是一个人的人,也是一个人的人,也是一个人的人,也是一个人的人,也是一个人	DERWENT.			
	-	,如果我们就是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	IBM_TDB	-		
S11	33	(shipp\$ n	US-PGPUB;	S R	NO O	2004/08/17 08:24
			USPAT;			
			DERWENT;			
, (IBM_IDB	-		
S12	۳	(forward\$4 or transmitt\$4 or email\$4 or send\$4) adj (ship\$5 adj ado	US-PGPUB;	წ	8	2004/08/17 08:26
h.		,是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	DEBWENT.			
*		《《《《《》》,《《·····························	IBM_TDB			-5
S13	7	(ship\$5 adj address)	US-PGPUB;	R	NO O	2004/08/17 08:27
			USPAT;			
			DERWENT;			
S14	7		IIS PGPLIB.	8	2	2004/08/17 08:30
:	•	・	USPAT:		5	200-100-100-100-100-100-100-100-100-100-
			DERWENT;			
		・サード・アンドのでは、アンドのできないのは、大きなでは、大きなでは、大きなでは、大きなでは、アンドのでは、アンドのでは、アンドのでは、アンドのでは、アンドのでは、大きなでは、アンドのでは、アンドのでは	IBM_TDB	-,		
S15	89	(forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (shi	US-PGPUB;	S R	N O	2004/08/17 08:30
			USPAT;			
			IBM_TDB			
S16	6	(for	US-PGPUB;	, R	N O	2004/08/17 08:31
		人。 · · · · · · · · · · · · · · · · · · ·	USPAT;			
		1966年,1977年,1978年,1978年,1978年,1978年,1978年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年,1988年 1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,1978年,19	DERWENT;	,		
. 1	ć	,00		. (į	
20	3	NACASA CALL CALL CALL CALL CALL CALL CALL	USPAI	ž	5	2004/08/17 08:34
S18	14	_*5825881".URPN. and encrypt\$4	USPAT	OR	NO	2004/08/17 08:36

6/23/06 1:34:46 PM C:\Documents and Settings\kabdi\Desktop\New search.wsp

S19	47	((forward\$4 or transmit\$4 or email\$4 or send\$4 or c transmit\$4 or email\$4 or send\$4 or convey\$3) near ("5825881".URPN. and encrypt\$4)	USPAT	ao R	Š	2004/08/17 09:08
S20	2	"6332134".URPN.	USPAT	S R	N O	2004/08/17 09:07
S21	33	("5465206" "5602918" "5621797" "5671279" "571280" "5704046" "5715399" "5727163" "572400" "5745886" "5757917" "5758327" "578139" "57832737" "5883810" "58990137" "5890137" "5890137" "5890137" "5890137" "5990137" "5990137" "5990137" "5990137" "5990137" "5990137" "5990137" "5990137" "600037" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "60003787" "600003787" "600003787" "600003787" "600003787" "6000003787" "60000000000000000000000000000000000	USPAT	OR	NO TO THE REPORT OF THE REPORT	2004/08/17 09:07
S22	-	(("5465206" "5602918" "5621797" "5671279" "5671280" "5704046" "5715399" "5727163" "5732400" "5745886" "5757917" "5758327" "5787403" "5790677" "5822737" "5826241" "5839119" "5878139" "5883810" "5890137" "5890137" "5940811" "5940041" "5940041" "5956699" "5960411" "599596" "599596" "600032" "6002767" "6049785" "6169974").PN.) and ((blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near3 address)	USPAT	NO N	N O	2004/08/17 09:09
S23	4008	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4	USPAT	OR	8 O	2004/08/17 09:10
S24	2941	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near2 (ship\$5 address)	USPAT	OR	8	2004/08/17 09:10
\$25	611	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4) adj (ship\$5 address)	USPAT	OR N	8 O	2004/08/17 09:11
S26	613	(blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)	USPAT	OR	NO O	2004/08/17 09:11
S27	312	electronic adj shop\$4	USPAT	o R	N O	2004/08/17 09:12
828	597285	ecommerce or e-commerce or (electronic commerce) or (online adj shopping)	USPAT	OR	Š O	2004/08/17 09:14
S29	509		USPAT	OR	N O	2004/08/17 09:13
230	75	(((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (ecommerce or e-commerce or (electronic commerce) or (online adj shopping))) and encrypt\$4	USPAT	OR R	N _O	2004/08/17 09:14
S31	2772	ecommerce or e-commerce or (electronic adj commerce) or (online adj shopping)	USPAT	OR	N O	2004/08/17 09:15
832	က	((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (ecommerce or e-commerce or (electronic adj commerce) or (online adj shopping))	USPAT	OR	N O	2004/08/17 09:15
833	က	("6049785" "6126069" "6205436").PN.	USPAT	OR	N O	2004/08/17 09:18
S34	0	"200153971".URPN.	USPAT	S R	N O	2004/08/17 09:29
S35	O	(ship\$5 adj (address or location)) near2 encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2004/08/17 11:21
236	N	("5790665").PN.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	NO N	OFF	2004/08/17 10:57
S37	146	283/17.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	Z O	2004/08/17 11:19
838	193	705/50.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	Z 0 2 2	2004/08/17 11:20
6/23/06	6/23/06 1-34-46 PM	VV.				Page 20

6/23/06 1:34:46 PM C:\Documents and Settings\kabdi\Desktop\New search.wsp

Page 20

839	409	705/64.ccls.						.; ⊟:	OR	NO	2004/08/17 11:20
S40	85	705/74.ccls.			· · · · · · · · · · · · · · · · · · ·			E	R	N O	2004/08/17 11:20
S41	808	283/17.cds. or 705/50.cds. or 70	cls. or 705/74.ccls.						OR	N N	2004/08/17 11:21
S42	2769	2769 (ship\$5 adj (address or location))			x -	- V			OR	8 O	2004/08/17 11:21
S43		(ship\$5 adj (address or location)) near blind\$4	olind\$4			e?		- <u>6</u> F	OR	N O	2004/08/17 11:22
S44	34	(ship\$5 adj (address or location)) near3 blind\$4	blind\$4	. (. 75			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u></u>	R	N O	2004/08/17 12:18
S45	0		4 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /			; ;		IBM_TDB USPAT	R	N O	2004/08/17 11:23
S46	9	6 (("6748366") or ("5420926") or ("6006200")).PN.	Nd.((,,0)		Tags symmetry of deficiency	e e e e e e e e e e e e e e e e e e e	.4.	OUB;	OR.	OFF	2004/08/17 12:22
S47	0					Na ¹	<u>.</u>		OR	NO	2004/08/17 12:22
S48	0	encrypT4\$ ad			**	*			S.	N O	2004/08/19 08:42
S49	1185	"shipping address"				de Vely W		DEKWEN!; IBM_TDB US-PGPUB; USPAT; EPO; DERWENT;	OR	N O	2004/08/19 08:42
								001 IND			

			ŀ			
000	402	: 'snipping address" and encrypt\$5	US-PGPUB; OR		 8	2004/08/19 08:42
			USPAI;			
			DERWENT:			
			IBM_TDB			
S51	103	("shipping address" and encrypt\$5) and Anonymous	US-PGPUB; OR		NO NO	2004/08/19 09:00
			DSPAI:		0	
		The state of the s	DERWENT			
		・ 「「「「「「「「「「「」」」」、「「「」」」、「「」」、「「」」、「「」」、	IBM TDB			
S52	0	1"20020013739".URPN.	USPAT		N C	2004/08/19 08:54
2			_		: ;	
200	8	encryptop same (snipop adj address)	US-PGPUB; OR		 S	2004/08/19 09:54
		・ 1000 Minus Maria Mar	EPO:	_	-	
		٠.	DERWENT;			
e ii	<u> </u>	・ できない かんしょう かんしょう かんき (大きな) できない できない アンドラ (大きな) できない アンドラス (大きな) アンドラス (大きな) できない アンドラス (大きな) できない アンドラス (大きな) できない アンドラス (大きな) アンドラス	IBM_TDB		4	
\$54	4	("5754938") or	US-PGPUB; OR		OFF	2004/08/19 09:55
			USPAT;			
			DERWENT:		_	
			IBM_TDB			
S55	11	"Anonymous shipping"	US-PGPUB; OR		NO	2004/09/13 16:12
			OSPAI;			-
			IBM_TDB		•	
S56	20	"proxy identity"	US-PGPUB; OR		NO NO	2004/09/13 16:12
			USPAI; DERWENT;		-	
			IBM_TDB			
S57	48	"alias identity"	US-PGPUB; OR		NO	2004/09/13 16:12
		,	DERWENT		•	
			IBM_TDB			
S58	42	((proxy alias Pseudonym) same identity) and (shipp\$ near3 address)	US-PGPUB; OR		N O	2004/09/13 16:43
			USPAI; DERWENT;			
			IBM_TDB			
S29	114	"Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$	US-PGPUB; OR		NO	2004/09/13 16:13
		וופקו א מתחופאא	DERWENT			÷
			IBM_TDB			
9S	16	("Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$	US-PGPUB; OR	-	NO	2004/09/13 16:15
		nears address))) and ("smarr card" or "ic card" or "integrated circuit car")	USPAT; DERWENT;			
			IBM_TDB			

Š	2			-		
90	7 7	("Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$ near3 address))) and ("smart card" or "ic card" or "integrated circuit car" or wallet)	US-PGPUB; USPAT; DERWENT; IBM TDB	8 8	Z Ö	2004/09/13 16:32
S62	2	((proxy ajias Pseudonym) same identity) near4 ("smart card" or "io card" or "integrated Gircuit car" or wallet)	US-PGPUB; USPAT; DERWENT; IBM TDB	S S	8 O	2004/09/13 16:35
S63	0		USPAT	S R	ő	2004/09/13 16:35
S64	15		US-PGPUB; USPAT; DEPIMENT:	S.	N O	2004/09/13 16:41
S65	, G	"6085081".URPN.	IBM_TDB USPAT	, R	Ö	2004/09/13 16:39
998	2 2	privacy adj card	US-PGPUB;	S S	ő	2004/09/13 16:59
			DERWENT;			
292	0	("Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same ider near3 address))) and (privacy adj card)	US-PGPUB; USPAT;	R	8 O	2004/09/13 16:42
			DERWENT; IBM_TDB			
898	1670	((proxy alias Pseudonym)/same identity)	US-PGPUB;	OR N	N O	2004/09/13 16:42
	# C 44		DERWENT; IBM_TDB	- · · · · · · · · · · · · · · · · · · ·	- 1	
869	1743	shipp\$ near3 address	US-PGPUB; USPAT; DERWENT;	R R	Z O	2004/09/13 16:43
S70	0	((((proxy alias Pseudonym) same identity)) and (privacy adj card)) and ((shipp\$ near3 address) and (privacy adj	US-PGPUB:	S.	NO .	2004/09/13 16:43
			DERWENT; IBM_TDB		* 1	
S71	23	(shipp\$ near3 address) and (privacy adj card)	US-PGPUB; USPAT; DERWENT:	R	ő	2004/09/14 12:45
S72	O	(((proxy alias Pseudonym) same identi	IBM_TDB US-PGPUB; USPAT	NO.	NO O	2004/09/13 16:45
		· · · · · · · · · · · · · · · · · · ·	DERWENT; IBM_TDB	3 z		
S73	0	"single use credit card"	US-PGPUB; USPAT; EPO;	N N	Š O	2004/09/13 17:00
			DERWENT; IBM_TDB			-

S74	0	((single adj use) near3 card) and walker.in.	ä	SR S	N O	2004/09/13 17:01
			USPAT; EPO;			
			DERWENT; IBM_TDB			
875	19204	walker.in.	US-PGPUB; USPAT;	OR	8 O	2004/09/13 17:02
			EPO; DERWENT; IBM_TDB			
S76	0	walker.in. and (single adj use)	US-PGPUB; USPAT;	OR	8 O	2004/09/13 18:42
			EPO; DERWENT; IBM_TDB			
S77	\$	-2768382"	US-PGPUB;	OR	N O	2004/09/13 18:42
			EPO; DERWENT; IBM_TDB			
878	7	("5768382").PN.	.;	OR	OFF	2004/09/13 18:48
			USOCR; USOCR; EPO;			
			DEKWENI; IBM_TDB			
879	10	(("4707592") or ("6006200") or ("6000832") or ("6163771") or ("5657388")).PN.	US-PGPUB; USPAT;	OR	OFF	2004/09/13 18:50
			USOCR; EPO;			
		- 1	DEKWENI; IBM_TDB			
280	2	("6029150").PN.	US-PGPUB; USPAT;	OR	OFF	2004/09/13 22:22
			USOCR; EPO;			
			DERWENT; IBM_TDB			
S81	23	((shipp\$4 or Deliver\$4) near3 address) and (privacy adj card)	ä	o _R	8 O	2004/09/14 14:33
			DERWENT; IBM_TDB			
S82	7	"third party privacy system"	_	OR	N O	2004/09/14 14:33
			DERWENT; IBM_TDB			

S83	318	encrypt\$ with level with select\$	US-PGPUB;	S.	Š	2004/09/15 13:32
			EPO; DERWENT; IBM_TDB		<u>.</u>	
88 4	**	(encrypt\$ with level with select\$) and ((shipp\$ or I	US-PGPUB; USPAT; DERWENT;	S S	NO .	2004/09/15 13:22
S85	&	(encrypt\$ with level with select\$) and ((ship	IBM_TDB US-PGPUB; USPAT;	OR	S S	2004/09/15 13:25
S86	S	(encrypt\$ with level with selec	IBM_TDB US-PGPUB; USPAT;	S S	NO	2004/09/15 13:25
287	286	encrypt\$ with function	USPAT; IBM_TDB US-PGPUB; USPAT;	8	, N	2004/09/15 13:32
88 88.		(encrypt\$ with function with session) and (shop\$5 with session with (id or identifier or identification or number or code))	EPO; DERWENT; IBM_TDB US-PGPUB; US-PGPUB;	OR	N O	2004/09/15 13:34
о 80 У.	6	shon\$5 with session with (id or identification or ourmber or code)	EPO: DERWENT: IBM_TDB	ê		2004 10014E 4 2.27
	3		USPAT; EPO; DERWENT;	ś	5	10:01
06S	5		IBM_TDB US-PGPUB; USPAT; EPO; DERWENT:	OR	Z O	2004/09/15 13:37
S91	16326	session with (id or id	IBM_TDB US-PGPUB; USPAT;	OR	8	2004/09/15 13:38
892	0	((encrypt\$ with function with session) with (session with (id or identifier or identification or number or code))) with shop45	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO *	2004/09/15 13:38

2004/09/15 13:43	2004/09/16 12:01	2004/09/15 13:58	2004/09/15 18:24	2004/09/15 18:26	2004/09/15 18:26	2004/09/15 18:30	2004/09/16 12:01	2004/09/16 12:09	2004/09/16 12:13	2004/09/16 12:33
2004/08	2004/08	2004/08	2004/08	2004/08	2004/08	2004/08	2004/06	2004/09	2004/08	2004/09
N O	N O	NO O	N _O	N O	S	N O	N O	N _O	N O	N O
OR	OR	OR	OR	OR	OR	OR	OR	OR	S S	OR
US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	USPAT	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	USPAT	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
80 (encrypt\$ with function with session) with (session with (id or identifier or identification or number or code))	7 (encrypt\$ with level with select\$) with (session with (id or identifier or identification or number or code))	0 "20010044785".URPN.	mult\$5 with level with security	((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4)	(mult\$5 with level with security) and (((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4))	0 "20020029248".URPN.	8 ((encrypt\$ or algorithm) with level with select\$) with (session with (id or identifier or identification or number or code))	((encrypt\$ or algorithm) with level with select\$) same (session with (id or identifier or identification or number or code))	(mult\$5 adj (level or status or category or rank)) near3 (security or protection)	617 (mult\$5 adj (level or status or category or rank)) near2 (security or protection)
893	S94	295	968	265	868	899	0 0	1 210	S10	33

		I					
8 4 4		88	(mult\$5 adj (level or status or category or rank)) near2 (security or protection) same (encrypt\$4 or algorythm)	US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	R	Z O	2004/09/16 12:36
S10		4	((mult\$5 adj (level or status or category or rank)) near3 encrypt\$4) and ((mail\$5 or delivery or ship\$5) adj address)	US-PGPUB;	OR	8 O	2004/09/16 12:38
•	·			OSPAT, EPO; DERWENT; IBM_TDB			
S10 6	**	131	(mult\$5 adj (level or status or category or rank)) near3 encrypt\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	R R	Z O	2004/09/16 12:55
S10	. «	0	*6598161**URPN.	USPAT	NO.	S O	2004/09/16 12:45
S10		7	"6128735".URPN.	USPAT	OR	N O	2004/09/16 12:50
S10		0	0 ((mult\$5 adj (level or status or category or rank)) near3 encrypt\$4) near4 (personal adj (information or data))	US-PGPUB;	S.	N O	2004/09/16 12:56
	est _a r	8	・ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EPO; DERWENT; IBM_TDB			
0	,	7	("5903652").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	R R	OFF	2004/09/16 23:25
511	· - :	~	(("5903652").PN.) and (address or added or "P.O.Box" or "Post Office Box")	IBM_TDB US-PGPUB; USPAT; EPO;	S .	N O 0	2004/09/16 23:27
S11	*	0	"hidden shipping address"	IBM_TDB US-PGPUB; USPAT; DERWENT;	a S	N O	2005/09/30 14:16
S12 0		0	"Secret shipping address"	US-PGPUB; USPAT;	OR	S O	2005/09/30 14:16
S12 1		7	"proxy shipping address"	DERWENT; IBM_TDB US-PGPUB; USPAT; DERWENT; IBM_TDB	., &	Z O	2005/09/30 14:16

\$12 2	0	"proxy identity" and "alias identity"	US-PGPUB; USPAT;	OR	8 O	2005/09/30 14:16
S12	26	Anonymous\$4 ne	DERWENT; IBM_TDB US-PGPUB;	R	NO	2005/09/30 14:16
3			DERWENT; IBM_TDB	: :		
\$12 4	2356	(proxy alias Pseudonym) same identity	US-PGPUB; USPAT; DERWENT; IBM TDB	S S	NO .	2005/09/30 14:16
S12 5	2279		US-PGPUB; USPAT; DERWENT	S.	N O	2005/09/30 14:16
\$12 6	0	20040083184".URPN.	IBM_TDB USPAT	OR	NO	2005/09/30 14:16
\$12: 7	62	(shipp\$ near3 address) same (ar	US-PGPUB; USPAT; DERWENT; IBM TDB	OR	NO TO	2005/09/30 14:16
S12 8	Φ	(shipp\$ near3 address) same (anonymous or hidd\$4) same encrypt\$4	US-PGPUB; USPAT; DERWENT; IBM TDB	OR	N O	2005/09/30 14:16
S12 9	10	(shipp\$ near3 address) same (anonymous or hidd\$4) and encrypt\$4	USPAT; DERWENT; IBM TDB	A	8	2005/09/30 14:16
S13 0	ω	(forward\$4 or transmitt\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	US-PGPUB; USPAT; DERWENT; IBM TDB	S W	N O	2005/09/30 14:16
S13	10	(forward\$4 for transmit\$4 or email\$4 or send\$4) adjr(ship\$5 adjraddress)	US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	N O	2005/09/30 14:16
S13	9	l or email\$4 or send\$4	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2005/09/30 14:16
S13	88	(forward\$4 or transmit\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)	US-PGPUB; USPAT; DERWENT; IBM_TDB	S	N O	2005/09/30 14:16

					-	ľ	
2 2 2 2	5	"200153871".URPN.	USPAT	F.	8 		2005/09/30 14:16
\$15	O	(ship\$5 adj (address or location)) near2 encrypt\$4	US-PGP	US-PGPUB; OR	NO ~		2005/09/30 14:16
,			DERW IBM_T	OSPAT; DERWENT; IBM_TDB			
S15 4	8	("5790665").PN.	US-PC USPA	US-PGPUB; OR USPAT;	OFF		2005/09/30 14:16
			USOCK; DERWEN IBM_TDB	USOCR; DERWENT; IBM_TDB			
S15 5	151	283/17.cds.	US-PGP USPAT;	US-PGPUB; OR USPAT;	8 ~		2005/09/30 14:16
			DERWEN IBM_TDB	DERWENT; IBM_TDB			
\$15 6	304	705/50.cds.	US-PGP USPAT;	US-PGPUB; OR USPAT;	8 ~		2005/09/30 14:16
			DERWEN IBM_TDB	DERWENT; IBM_TDB			
\$15	559	705/64.cds.	US-PC	US-PGPUB; OR	NO ~	-	2005/09/30 14:16
	,		DERWEN IBM_TDB	DERWENT; IBM_TDB			
S15 8	66	705/74.cds.	US-PGP	US-PGPUB; OR	NO ~		2005/09/30 14:16
			DERW IBM_T	DERWENT; IBM_TDB			
S15	1071	283/17.cds. or 705/50.cds. or 705/64.cds. o	US-PGP	US-PGPUB; OR	NO ~		2005/09/30 14:16
			DERW IBM_T	DERWENT; IBM_TDB			
S16 0	3441	(ship\$5 adj (address or location))	US-PC USPA	US-PGPUB; OR USPAT;	NO ~		2005/09/30 14:16
			DERWENT; IBM_TDB	VENT:			
S16	2	(ship\$5 adj (address or location)) near blind\$4	US-PC	US-PGPUB; OR USPAT:	NO ~		2005/09/30 14:16
			DERWENT; IBM_TDB	/ENT; DB			
S16 2	2	(ship\$5 adj (address or location)) near3 blind\$4	US-PGP USPAT;	US-PGPUB; OR USPAT;	<u>N</u>		2005/09/30 14:16
		2	DEKWENI; IBM_TDB	DB			
S16 3	0	"20020007318".URPN.	USPAT	T R	NO ~		2005/09/30 14:16

[•					
0 4 0	0	(('b/46366') or ('5420926') or ('6006200')).PN.	US-PGPUB; USPAT; USOCR; DERWENT; IBM TDB	ž	<u> </u>	2005/09/30 14:16
S16 5		·09/129826	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2005/09/30 14:16
S16 6	0	encrypT4\$ adj "shipping address"	US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	NO R	N _O	2005/09/30 14:16
S16 7	1579	"shipping address."	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	SO.	NO	2005/09/30 14:16
8 8	547	"shipping address" and encrypt\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	OR	NO	2005/09/30 14:16
9 6	128	("shipping address" and encrypt\$5) and Anonymous	US-PGPUB; USPAT; EPO; DERWENT:	OR	No.	2005/09/30 14:16
S17 0	0	"20020013739".URPN.	IBM_TDB USPAT	OR	NO	2005/09/30 14:16
11	92	encrypt\$5 same (ship\$5 adjaddress)	US-PGPUB: USPAT; EPO; DERWENT; IBM TDB	Ř	NO TO TO	2005/09/30 14:16
S17 2	4	(("5754938") or ("5754939")).PN.	US-PGPUB; USPAT; USOCR; DERWENT; IBM TDB	N	140 140	2005/09/30 14:16
33	10	"Anonymous shipping"	US-PGPUB; USPAT; DERWENT; IBM_TDB	RO	N O	2005/09/30 14:16
\$17	31	"proxy identity"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2005/09/30 14:16

Page 31

5 5	29		US-PGPUB; USPAT; DERWENT; IBM_TDB	NO.	8 0	2005/09/30 14:16
\$17 6	23	((proxy alias Pseudonym) same identity) and (shipp\$ near3 address)	US-PGPUB; USPAT; DERWENT; IBM_TDB	S.	N O	2005/09/30 14:16
S17 7	146	"Anonymous shipping" or "proxy identity" or "alias near3 address))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	N O	2005/09/30 14:16
\$17 8	5 3	("Anonymous shipping" or "proxy identity" or "alias identity" or (((proxy alias Pseudonym) same identity) and (shipp\$ near3 address))) and ("smart card" or "ic card" or "integrated circuit card)	US-PGPUB; USPAT; DERWENT; IBM_TDB	ON M	Z O	2005/09/30 14:16
\$17 9	37	ias identity or "integrat	US-PGPUB; USPAT; DERWENT; IBM_TDB	SO.	Z O	2005/09/30 14:16
0	2	((proxy alias Pseudonym) same identity) near4 "smart card" or "ic card" or "integrated circuit car" or wallet)	US-PGPUB; USPAT; DERWENT; IBM_TDB	R	N O	2005/09/30 14:16
S18 1	0		USPAT	OR	N O	2005/09/30 14:16
S18 2 S18	2	((proxy alias Pseudonym) same identity) WITH ("smart card" or "integrated circuit car" or wallet) 6085081". URPN.	US-PGPUB; USPAT; DERWENT; IBM_TDB USPAT	g R S	S S	2005/09/30 14:16
S 18	. 2	privacy adj.card	US-PGPUB; USPAT; DERWENT;	OR	NO O	2005/09/30 14:16
S18 5	• • • <u>•</u> • • • • • • • • • • • • • • • • • • •	onymous shipping" or "proxy identity" or "alias identity" saddress))) and (privacy adj card)	IBM_TDB US-PGPUB; USPAT; DERWENT; IBM_TDB	8 2 2	. O	2005/09/30 14:16
S18 6	2356	((proxy alias Pseudonym) same identity)	US-PGPUB; USPAT; DERWENT; IBM TOB	8	N O	2005/09/30 14:16
S18 7	2279		US-PGPUB; USPAT; DERWENT; IBM_TDB	So	NO O	2005/09/30 14:16

Page 32

218	-	_	91929	9	2	2005/00/20 44:20
) 0 0	•	card))	USPAT; USPAT; DERWENT; IBM_TDB	_ _ _	5	00.000
9 9	56	(shipp\$ near3 address) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM_TDB	S .	N O	2005/09/30 14:16
S19 0	10	(((proxy alias Pseudonym) same identity)) and (privacy adj card)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	S	2005/09/30 14:16
1 1	0	"single use credit card"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/09/30 14:16
2 2	0	((single adj use) near3 card) and walker.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	NO NO	2005/09/30 14:16
3 3	20870	walker.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/09/30 14:16
S19 4	0	walker.in. and (single adj use)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/09/30 14:16
5 5	7	"5768382"		OR	NO O	2005/09/30 14:16
S19 6	8	("5768382").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 14:16
519	9	(("4707592") or ("6006200") or ("6000832") or ("6163771") or ("5657388")).PN.		S .	OFF	2005/09/30 14:16
1			ייים ו			

6/23/06 1:34:46 PM C:\Documents and Settings\kabdi\Desktop\New search.wsp

S19 S20 S20 Third party privacy system Cade) S20 Cade) S20 Third party privacy system Cade) S20 Cade) S20 Cade) S20 Cade) S20 Cade) S20 Cade) S20 Cade) Carrypt\$ with function with session and (shop\$5 very session with (id or identification or num \$5 Cade) Cade	y, adj card)	1		
364 9 367 1	y'adj (ard)	<u>K</u>	OFF	2005/09/30 14:16
386. 1	DERWENT:	R	N O	2005/09/30 14:16
3864		R	N O	2005/09/30 14:16
7 21801		R	NO NO	2005/09/30 14:16
21801	using the session and (shop\$5 with session with (id or identifier or identification or number or uspat; uspat; epo; perview of the session) and (shop\$5 with session with (id or identifier or identification or number or uspat); epo; epo; perwent; epo; perwent; law tob	S. S	S O	2005/09/30 14:16
21801	cation or number of code)	č	Ö	2005/09/30 14:16
21801	encrypt\$5 with (shop\$5 with session with (id or identifier or identification or number or code)) USPAT; EPO; DERWENT; IBM_TDB	R R	N O	2005/09/30 14:16
0	utifier or identification or number or code) US-PGPUB; USPAT: EPO; DERWENT: IBM_TDB	NO .	S	2005/09/30 14:16
	n with session) with (session with (id or identifier or identification or number or code))) with US-PGPUB; USPAT; EPO: DERWENT; IBM TDB	NO N	N N	2005/09/30 14:16
S20 (encrypt\$ with function with session) with (session 7	with session) with (id or identifier or identification or number or code)) US-PGPUB. USPAT; EPO; DERWENT; IBM_TDB	8	NO	2005/09/30 14:16

6/23/06 1:34:46 PM C:\Documents and Settings\kabdi\Desktop\New search.wsp

\$20 8	0	0 "20010044785".URPN.	USPAT	OR	NO	2005/09/30 14:16
\$20 9	1749	mult\$5 with level with security	US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	OR	Š Ö	2005/09/30 14:16
\$21 0	124	((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	Z O	2005/09/30 14:16
1 27	*	(mult\$5 with level with security) and (((shipp\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	Z Ö	2005/09/30 14:16
\$21 2	0	"20020029248".URPN.	USPAT	OR	N O	2005/09/30 14:16
3321	88	(mult\$5 adj (level or status or category or rank)) near3 (security or protection)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	N O	2005/09/30 14:16
\$21 4	805	(mult\$5 adj (level or status or category or rank)) near2 (secunity or protection)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	Z 0	2005/09/30 14:16
5 5 21	123	(mult\$5 adj (level or status or category or rank)) near2 (security or protection) same (encrypt\$4 or algorythm)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	80	Z O	2005/09/30 14:16
\$21 6	13	((mult\$5 adj (level or status or category or rank)) near3 encrypt\$4) and ((mail\$5 or delivery or ship\$5) adj address)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	Š	2005/09/30 14:16
\$21 7	166	(mult\$5 adj (level or status or category or rank)) near3 encrypt\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	NO	Z 0	2005/09/30 14:16
\$21 8	2	"6598161".URPN.	USPAT	OR	N O	2005/09/30 14:16
\$21 9	υ V	*6128735*URPN.	USPAT	OR	S _O	2005/09/30 14:16

2005/09/30 14:16	2005/09/30 14:16	2005/09/30 14:16	2005/09/30 14:18	2005/09/30 14:32	2005/09/30 14:32	2005/09/30 14:33	2006/06/22 21:22	2006/06/22 21:55	2006/06/22 21:55
ON 20	OFF 20	 NO	OFF 23	NO 2	NO NO	ON 20	NO X	NO NO	ON 20
									- 10
B; T;	B;	F. 99 F		.; B.	8. 7. Q	8 8	B. C. C.	.; 9; 	B;
US-PGPUB; USPAT; EPO; DERWENT;	IBM_TDB US-PGPUB; USPAT; USOCR; EPO;	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO;	BM_TDB US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; DERWENT;	USPAT	US-PGPUB; USPAT; DERWENT; IBM TDB	US-PGPUB; USPAT; DERWENT; IBM TDB	US-PGPUB:
	3 1						Live Skill	*	
r data))								· 🙃	d\$4)
nation o				3				or hidd\$4	is or hid
j (inform						기록 기 :		o snow	onymou
sonal ad								e (anony	ıme (an
ear3 encrypt\$4) near4 (personal adj (information or data))		Box")						ver\$4) near3 address) same (anonymous or hidd\$4)	near3 address) same (anonymous or hidd\$4)
nt\$4) ne		Box" or "Post Office Box")					dd\$4)	3 addres	ear3 adc
3 encryp		or "Pos				Ž	ymous or hidd\$4)	4) near	eliver\$4) ne
=							nonymo	Deliver\$	
y or rank		("5903652").PN.) and (address or added or "P.O					same (al	ipp\$ or I	(transmi\$6 or
categor		s or add					dress) s	with ((sh	vith ((tra
atus or		address (4) near3 addres	virtual) v	/irtual) with (
vel or st		4.) and (SCIS			").URP	/er\$4) n	onic or v	onic or vir
5 adj (le	("5903652").PN	552").PN	027617).	193".прг	<u>S</u>	027617	or Deli	or electro	r electr
((mult\$5 adj (level or status or category or rank))	("59036	(("59036	(2005/0027617	"10924493".rlpn	10/924493	("2005/0027617").URPN	((shipp\$ or Deliver\$4) near3 address) same (anon	(digital or electronic or virtual) with ((shipp\$ or Deli	(digital or electroni
0	~	-	0	0	·	0	135		9
									E.
\$22 0	\$22 1	\$22 2	3 3 3	\$22 4	\$22 5	\$22 6	\$22 7	8	\$22 ·

\$23 0	4	(("6970941") or ("6798782")).PN.		OR	OFF	2006/06/22 21:41
			DERWENT;		<u>.</u>	_
\$23	0	((digital or electronic or virtual) near3 (goods or services or software or content)) with ((transmi\$6 or Deliver\$4 or reciev\$4) near3 address) same (anonymous or hidd\$4)	US-PGPUB; USPAT;	OR	8 0	2006/06/22 22:00
			DERWENT; IBM_TDB			
S23 2	97898	((digital or electronic or virtual) near3 (goods or services or software or content))		S S	N O	2006/06/22 22:00
			DERWENT; IBM_TDB			
S23 3	141	((transmi\$6 or Deliver\$4 or reciev\$4) near3 address) same (anonymous or hidd\$4)	US-PGPUB; USPAT:	S S	N O	2006/06/22 22:00
			DERWENT; IBM_TDB			
\$23 4	51	S232 and S233	US-PGPUB; USPAT;	S S	N O	2006/06/22 22:00
			DERWENT; IBM_TDB			
S23 5	0	("2002/0116337").URPN.	USPAT	S S	N O	2006/06/22 22:43